

CLEAN-setral-EDK (Spray)	Nr. 0595
Cavity cleaner and cold paint stripper.	Packaging: 400ml aerosol other packaging on request

Application

Removal of diesel effect, plastic and paint residues on metallic surfaces of tools and moulds in injection moulding machines, extrusion and film lines. Removal of all common paints incl. 2K, epoxy, EC and powder coatings. Removal of sealing residues on screw joints, lids, flanges and engine blocks.

Characteristics

- Clean application
- Evaporates slowly and without residues
- Ideal remover of sealings
- Removes even hardest paints
- Solves brownish diesel residues
- Applicable also with galvanized material, aluminium and aluminium alloys
- Economical in consumption

Method of use

- Attention: dissolves elastomeres, plastics, paints and sealings. If required, carry out precaution measures on the machines (e.g. painted parts, hydraulic hoses etc.).
- If parts are heavily soiled, repeat the cleaning process.
- Cleaning time depends primarily on the grade of contamination of the parts.
- Spray onto parts to be treated.
- Subsequent cleaning with CLEAN-AN/U is recommended.
- The minimum shelf life in original sealed containers, stored in a cool and dry place (no direct sunlight) is about 2 years.

Technical data

Colour	colourless		DIN ISO 2049
Basis	several solvents		
Density 20°C	0.9	g/cm ³	in house
Flash point, COC	-20°C	°C	DIN ISO 2592
Temperature range	- 10 - + 40	°C	

Setral Chemie GmbH
Salzsteinstrasse 4
D-82402 Seeshaupt
Telefon: +49 (0) 88 01 97 10
Telefax: +49 (0) 88 01 97 30
Email: info@setral.net

Sétral S.á.r.l.
13, rue Tannmuhle
F-67310 Romanswiller
Téléphone: +33 (0) 3 88 59 11 59
Télécopie: +33 (0) 3 88 59 11 57
Email: france@setral.net

The information in this bulletin is, to our knowledge, true and accurate, but all recommendations are without guarantee, since the conditions of use are beyond our control. Setral disclaims any liability incurred in connection with the use of these data or suggestions. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use.